

HILCAST™ WEBCAST AUCTION

Complete liquidation of all remaining assets of



World Class Large Capacity Tool and Die Manufacturer



**Wednesday, March 5th • Beginning at 10 am Local Time
Grand Rapids, Michigan**

Hilco Industrial, LLC

Auctioneers • Liquidators • Appraisers

31555 West Fourteen Mile Road, Suite 207
Farmington Hills, Michigan 48334
Ph 248.254.9999 • Fx 248.254.9995

www.hilcoind.com

Sale is being held in conjunction with

Maynards

SINCE 1902

21700 Northwestern Hwy • Suite 1180
Southfield, Michigan 48075-4923
Ph: 248.569.9781 • Fx 248.569.9793

www.maynards.com

HILCAST™ WEBCAST AUCTION

Complete liquidation of all remaining assets of



WEDNESDAY, MARCH 5TH
Beginning at 10am Local Time

Preview Date

Monday & Tuesday, March 3rd & 4th
9am to 4pm Local Time Each Day

Auction Location

3755 36th Street
Grand Rapids, MI 49512

Preview Locations

- 3755 36th St. • Grand Rapids, MI 49512
(Dieline Corporation Building)
- 3695 44th St. SE • Kentwood, MI 49512
(Diecraft Corporation Building. By appointment only.)
- 2066 Bristol Ave NW • Walker, MI 49504

Directions

Located 5 minutes from Grand Rapids International Airport:

From Grand Rapids Int'l Airport to Dieline – 36th St:
Exit airport straight onto 44th Street, continue West on 44th Street approximately 1-1/2 Miles to Broadmoor Ave. Turn right on Broadmoor, go North 1 Mile to 36th Street, turn right on 36th Street, plant is 1st building on left.

From Grand Rapids Int'l Airport to Diecraft – 44th St:
Exit airport straight onto 44th Street, continue West on 44th Street approximately 2 Miles to plant on right.

Directions to 2066 Bristol Avenue N.W., Walker, MI

Exit I-96 at Exit No. 30A, Alpine Avenue South. Proceed South on Alpine Ave. 1.3 Miles to Pannell St. (Immediately underneath Railroad Overpass). Turn Right on Pannell Street and proceed one mile to the dead end at Bristol and Turn Left. The Plant is 100 yards up on the Left.

Travel Information

Airlines:	
American Airlines	800.433.7300
Northwest Airlines	800.225.2525
United Airlines	800.241.6522
Delta Airlines	800.221.1212
Southwest Airlines	800.435.9792

Hotels:	
Hampton Inn	616.575.9144
Springhill Suites	616.464.1130
Crown Plaza	616.957.1770
Hilton	616.957.0107
Courtyard	616.954.0500
Fairfield Inn	616.940.2700

Further Information

- **BUYERS NOTE: A NEW BUYERS PREMIUM FOR ONSITE SALES OF 13.5% AND 15% FOR ALL WEBCAST SALES WILL BE IN EFFECT. THE AUCTION WILL BE CONDUCTED IN ENGLISH, ACCEPTING U.S. CURRENCY ONLY.**
- Removal Deadline is Friday, March 21, 2008 with Hours of Removal between 8am to 4pm Monday thru Friday. After March 21st at 4pm buyer will incur a cost of \$500 daily for entry into the facility.
- For further information or to schedule a preview appointment for the 44th Street Location please contact Brent Bonham at 616.233.0702 or Email bbonham@hilcoind.com
- For Payment & Customer Service please contact: Sandi Neely at 248.254.9999 x16 or Email sneely@hilcoind.com

CNC MILLS & MACHINING CENTERS




1999

NICOLAS CORREA FP50/50 5-AXIS CNC BRIDGE TYPE MILLING MACHINE



1998

NICOLAS CORREA FP40/40 5-AXIS CNC BRIDGE TYPE MILLING MACHINE



GIDDINGS & LEWIS 6" CNC FLOOR TYPE HORIZONTAL BORING MILL



1997

TOSHIBA SHIBURA MODEL MPF-2114C 3-AXIS BRIDGE TYPE CNC DIE & MOLD VERTICAL MACHINING CENTER

CNC BRIDGE MILLS

- 1- **NICOLAS CORREA MODEL FP50/50 5-AXIS CNC BRIDGE TYPE MILLING MACHINE**, S/N 8920804 (1999), Table Size 196.85" x 78.75", Travels: 196.85" X Axis (Longitudinal), 127.95" Y Axis (Cross), 39.37" Z Axis (Vertical), C Axis 360 Degree, B Axis 180 Degree, Universal Milling Head, Traveling Table, Distance Between Columns 106.29", 86" Under Crossrail, Maximum Table Load Capacity 55,000-LBS., Spindle Speeds 492 – 5000 RPM, CAT 50 V-Flange Spindle Taper, 37 Kw Spindle Motor, Spindle Head Model C5E-2, GE Fanuc Series 15-M Controls, Koolant Koolers HAC-1000-BP-SO Spindle Oil Chiller, S/N 19211, Telescopic Steel Way Covers
- 1- **NICOLAS CORREA MODEL FP40/40 5-AXIS CNC BRIDGE TYPE MILLING MACHINE**, S/N 8950804 (1998), Table Size 157.5" x 49.2", Travels: 137.8" X Axis (Longitudinal), 98.4" Y Axis (Cross), 39.3" Z Axis (Vertical), C&B Axis Universal Milling Head, Traveling Table, Distance Between Columns 80.3", 62" Under Crossrail, Maximum Table Load Capacity 22,000-LBS., Spindle Speeds 311 – 5000 RPM, CAT 50 V-Flange Spindle Taper, 2230 Kw Spindle Drive Motor, GE Fanuc Series 15-M Controls, Lemoine Real Time Machining CNC Cabinet, Koolant Koolers Model HAC1000-BP-SO Spindle Oil Chiller, S/N 22440, Telescopic Steel Way Covers (This piece is located at 3695 44th Street S.E. Location. Inspection will be by Appointment only. To be sold from the 36th Auction Location)
- 1- **TOSHIBA SHIBURA MODEL MPF-2114C 3-AXIS BRIDGE TYPE CNC DIE & MOLD VERTICAL MACHINING CENTER**, S/N 962039 (1997), Traveling Table, Table Working Surface 70.9" x 55.1", Table Load Capacity 22,000-Lbs., Travels: 55.1" X Axis (Table Longitudinal), 82.7" Y Axis (Spindle Head Cross), 28.1" Z Axis (Ram Vertical), Distance Spindle Nose to Table Top 41.3", Distance Between Columns 82.7", Spindle Speeds 40 – 10,000 RPM, (2) Spindle Speed Ranges, CAT 50 V-Flange Spindle Taper, 7.5" Diameter Open Ram Type Spindle Head, 36/30 HP Spindle Drive 24-Station Automatic Tool Changer, Coolant, Chip Conveyor, Tosnuv 888 CNC Controls

CNC HORIZONTAL BORING MILL

- 1- **GIDDINGS & LEWIS 6" CNC FLOOR TYPE HORIZONTAL BORING MILL**, S/N NA (Retrofitted 1991), 6" Spindle Bar Diameter, Single Piece T-Slotted Stationary, Table Size 96" x 171", Traveling Column, Travels: 96" Y Axis (Vertical), 144" X Axis (Horizontal), 36" Total Z Axis Spindle Travel, Spindle Speeds to 1020 RPM, 22" Quill Travel, 12" Quill Diameter with 12" Travel, Spindle Speeds to 1020 RPM, No. 50 Spindle Taper, With Power Drawbar, 50/40-HP, Tri-Way Vertical, Retractable Steel Way Covers, Mayfran Chip Conveyor, Mitsubishi CNC Controls, Floor Standing 19" High Table Riser Plate

CNC VERTICAL MACHINING CENTERS

- 1- **FADAL MODEL VMC 6030 CNC VERTICAL MACHINING CENTER**, MODEL 907-1, S/N 9401399 (1994), Table Size 30" x 62-1/2", Travels 60" X Axis (Longitudinal), 30" Y Axis (Cross), 30" Z Axis (Vertical), Spindle Speeds 40 – 10,000 RPM, 21-Station Automatic Tool Changer, CAT 40 V-Flange Spindle Taper, Fadal CNC 88HS Controls, Spindle Nose to Table 5.5" – 35.5", 15-HP
- 1- **HURCO MODEL BMC-40 CNC VERTICAL MACHINING CENTER**, S/N BL-8003089A, Table Size 27-1/2" x 51", Travels: 40" X Axis, 30" Y Axis, 22" Z Axis, CAT 40 Spindle Taper, Spindle Speeds 30 to 4,000 RPM, 30-Station Automatic Tool Changer, Hurco Ultimax 3 CNC Controls, Coolant,

BRIDGE MILL

- 1- **SHIN NIPPON KOKI MODEL RB-3N CNC VERTICAL BRIDGE MILL**, Gantry Type, Table Size: 78-3/4" X 157", 96" Between Columns, Travels: X=166", Y=96", Z=18", Fanuc 11M CNC Control, (M3012A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

CNC VERTICAL COPY/MILLING MACHINES


- 1- **MORTON MODEL VTC-4080 3 AXIS CNC VERTICAL MILLING MACHINE**, S/N 683007 (Retrofitted 1998), T-Slotted Table Size 39-1/2" x 118", R Side 39-1/2" x 26" Bolt-On T-Slotted Table Extension 18.5/22 Kw Spindle Motor, Manual Tool Change, With Power Drawbar No. 50 Spindle Taper Coolant Unit, Chip Removal Auger, Travels: 80" X (Table), 40" Y (Table), 32" Z (Spindle Head), Spindle Nose to Table Top 11 – 42-1/2", Spindle Center to Column Front 41-5/16", Table Load Capacity 16,000-LBS., Table Workings Area 118-1/8" x 39-3/8", Spindle Speeds 10 – 3300 RPM, Turmoil Model OC-150-R-ATC Spindle Oil Chiller, S/N 4653-98, Lemoine RTM CNC Control Cabinet
- 1- **TAURUS MODEL DU6084 VERTICAL OPENSIDE CNC DUPLICATING MILL**, S/N DUP267043C, Table Size 72" x 84", Spindle Platen Size 14" x 60" 5.5/7.5 Kw Spindle Motor Autocon Dynapath Die CNC Controls
- 1- **PRATT & WHITNEY WOLVERINE 3 AXIS CNC VERTICAL COPY MILLING MACHINE**, S/N 450, Table Size 48" x 140", Spindle Speeds 20 – 500 RPM, (2) Lemoine & Creative Evolution CNC Control Cabinets
- 1- **KAPO / PHOENIX CNC COPY & CONTOUR VERTICAL MILLING MACHINE**, Table Size: 43-1/4" X 182", Die Table Size: 48" X 60", Travels: X=92", Y=40", Z=24", Lemoine Real Time CNC Control, (M3010A) (Located at 2066 Bristol Avenue N.W., Walker, MI)



TAURUS MODEL DU6084 VERTICAL OPENSIDE CNC DUPLICATING MILL



MECOF MODEL CN NC 3 AXIS BED TYPE CNC HORIZONTAL MILLING MACHINE



GIDDINGS & LEWIS MODEL 70-D5-T 5" TABLE TYPE HORIZONTAL BORING MILL



CLEARING F2-1500-144 1500-TON 2-POINT STRAIGHT SIDE PRESS



CLEARING F2-250-96 250-TON 2-POINT STRAIGHT SIDE PRESS



VERSON S2-200-84-48T 200-TON 2-POINT STRAIGHT SIDE PRESS



CHARMILLES TECHNOLOGIES ROBOFIL 300 5-AXIS CNC WIRE TYPE ELECTRICAL DISCHARGE MACHINES

CNC VERTICAL MILLING MACHINES

- 1 - MILLTRONICS PARTNER MODEL VKM-3 CNC VERTICAL MILLING MACHINE, S/N 8429 (2004), Series B, 3-HP, Table Size 12" x 53", Knee Type Servo Drive Table, Saddle, Quill Feeds, Milltronics Centurion 7 Controls, Coolant, R-8 Spindle Taper, with Power Drawbar
- 1 - PRATT & WHITNEY CNC VERTICAL MILLING MACHINE, S/N 1970-0468, Table Size: 63" X 152", Sub Table Size: 71-1/2" X 130", Travels: X=120", Y=72", Z=30", CNC Control with Lemoine Real Time Digitizing CNC Unit, (M3009A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

STRAIGHT SIDE PRESSES

- 1 - CLEARING F2-1500-144 1500-TON 2-POINT STRAIGHT SIDE PRESS, S/N 50-16926-P, Eccentric Geared, Bed Size 144" LR x 96" FB, 24" Stroke, 12" Adjustment, 54" Shut Height, 2 & 6 Strokes/Minute, 47" Window (L Side Only), Toledo Press Watch 4-Channel Digital Auto-Set Production Monitor, Air Clutch, Air Counterbalance, 7" T-Slotted Bolster, T-Slotted Ram
- 1 - CLEARING F2-250-96 250-TON 2-POINT STRAIGHT SIDE PRESS, S/N 45-11150, Eccentric Geared Bed Size 96" LR x 72" FB, 24" Stroke, 6" Adjustment, 29 - 35" Shut Height, 10 Strokes/Minute, 6" T-Slotted Bolster, Drilled & Tapped Ram, Air Clutch, Air Counterbalance, Pit Mounted
- 1 - VERSON S2-250-96-48T 250-TON 2-POINT STRAIGHT SIDE PRESS, S/N 14644, Eccentric Geared, Bed Size 96" LR x 48" FB, 12" Stroke, 30-1/2" Shut Height, 8" Adjustment, 25 Strokes/Minute, 29" windows, 4" T-Slotted Bolster, T-Slotted Ram, Air Clutch, Air Counterbalance
- 1 - VERSON S2-200-84-48T 200-TON 2-POINT STRAIGHT SIDE PRESS, S/N 14646, Eccentric Geared, Bed Size 84" LR x 48" FB, 12" Stroke, 30" Shut Height, 8" Adjustment, 25 Strokes/Minute, 31" Windows, 6" T-Slotted Bolster, T-Slotted Ram, Air Clutch, Air Counterbalance
- 1 - HAMILTON MODEL 4E-108-450 450-TON STRAIGHT SIDE PRESS, S/N 2342, Bed Size 108" LR x 72" FB, "Ram-Rider" Style, 12" T-Slotted Bolster
- 4 - HAMILTON S4-600-96 600-TON 4-POINT STRAIGHT SIDE PRESSES, S/N 2961, (3) NA, "Ram Rider" Style, Bed Size 96" LR x 66" FB, 20" Stroke, 54" Shut Height, 30" Adjustment, Air Clutch, Air Counterbalance, Air Cushions, 6" T-Slotted Bolster, T-Slotted Ram

ELECTRICAL DISCHARGE MACHINES

- 1 - CHARMILLES TECHNOLOGIES MODEL ROBOFIL 290P 5-AXIS CNC WIRE CUT ELECTRICAL DISCHARGE MACHINE, S/N 9-2359/331290 (1999), Maximum Part Dimensions 33.46" X Axis, 19.68" Y Axis, 7.87" Z Axis, Maximum Part Weight 1102.3-LBS (500 Kg) Travels: 15.74" X, 9.84" Y, 7.87" Z, 15.74" U, 9.84" V Axis, Taper Angle/Height: ± 1.18/7.87", Self-Contained Dielectric Fluid System, Charmilles ISOPULSE Generator/Controls, Single Cabin Work Area, with Pivoting Door
- 2 - CHARMILLES TECHNOLOGIES MODEL ROBOFIL 300 5-AXIS CNC WIRE TYPE ELECTRICAL DISCHARGE MACHINES, S/Ns 3.2310 (1993), 32038 (1993), Maximum Part Dimensions 33.5" x 19.7" x 15.7" High, Maximum Part Weight 2207-LBS., Travels: 17.5" X, 9.8" Y, 15.7" Z, 15.7" U, 9.8" V, Wire Diameter .004 to .01", 80-Gal Self-Contained Stainless Steel Dielectric Tank, With (4) Paper Cartridge Filters, Isopulse Generator, Dielectric Fluid Chiller Unit, Enclosed Cabinet (These pieces are located at 3695 44th Street S.E. Location. Inspection will be by Appointment only. To be sold from the 36th Auction Location)

CNC HORIZONTAL MILLING MACHINE

- 1 - MECOF MODEL CN NC 3 AXIS BED TYPE CNC HORIZONTAL MILLING MACHINE, S/N NA, 48-1/2" x 241" Stationary T-Slotted Table, Traveling Column, (3) Bolt-On 39-1/2" x 60" T-Slotted Front Mounted Table Extensions, 36-1/2" Floor to Table Height, Travels: 72" Y Axis (Vertical), 156" X Axis (Column), 36" Z Axis (Ram), Spindle, No. 50 Taper, With Power Drawbar, Coolant, Autocon Dynapath Delta CNC Controls

CNC LASER

- 1 - PRIMA INDUSTRIES RAPID #5 BRIDGE STYLE VERTICAL 360-DEGREE CNC LASER, S/N 004-328 (1994), 48" X 78" Tapped Table, 61" X 120" Tapped Table, Self Contained, PRC Laser, Laser Interface, Joystick, Rapido P/C Based Control, Motors & Controls, (M16001A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

HORIZONTAL BORING MILLS

- 1 - GIDDINGS & LEWIS MODEL 70-D5-T 5" TABLE TYPE HORIZONTAL BORING MILL, S/N 150-1110-68, 5" Spindle Bar Diameter, Table Size 60" x 146", Travels: 72" Vertical, 138" Table Cross Travel, 92" Saddle Travel, Spindle Speed Range 7.5 - 975 RPM, Spindle Feed Range .002 - .250 IPR, No. 50 Taper Spindle, With Power Drawbar, Heidenhain 3 Axis Readout, (2) Floor Type Outboard Table Supports, Roll-Up Type Metal Way Covers
- 1 - CARLTON CNC HORIZONTAL BORING MILL, (1976 Retro 1995), Table Size: 120" X 360", Travels: X=358", Y=115", Z=36", (2) 55" X 66" Sub Tables, (2) 37" X 114" Angle Plates, Dynapath Delta CNC Control, (M3073A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - GIDDINGS & LEWIS MODEL D5-T TABLE TYPE HORIZONTAL BORING MILL, S/N N/A, Table Size: 60" X 134-1/2", Travels: X=120", Y=60", Z=24", 7.5 To 975 Spindle RPM, Anilam Wizard 3-Axis Digital Readout, (M4012A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

HYDRAULIC PRESS

- 1 - GREENERD MODEL HCA - 30 - 30R8 30-TON C-FRAME HYDRAULIC PRESS, S/N 89T4298, Bed Size 24" LR x 13" FB, Floor Standing

PRESS FEED EQUIPMENT

- 1 - AMERICAN MODEL 1000 20,000 LB X 60" POWER UNCOILER, S/N 2490, 72" Mandrel Length, Hydraulic Expanding Mandrel, Colt Automation Hydraulic Hold Down Arm
- 1 - JAYBIRD AUTOMATION MODEL J25-2424 24" WIDTH X 24" STROKE PNEUMATIC PRESS STOCK FEEDER, S/N R2111, Single Grip, 3-over-4 Non-Powered Roll Straightener (missing top center roll), Serrated Exit Pinch Rolls w/ Pneumatic Adjustment, Manual Adjustable Height Cabinet Base
- 1 - ROWE MODEL PM - FDC - 053 - 215 16" ELECTRONIC ROLL FEEDER, S/N 26215, Bolt-On Press Type, Emerson PLC II Programmable Controls, Pneumatic Roll Adjustment, Emerson Electrical Cabinet


MACHINE ACCESSORIES

- 1 - 65-3/4" X 71-3/4" X 12" HIGH T-SLOTTED SUB-TABLE (Used on Toshiba)
- 1 - 51-1/2" X 103-1/2" X 11" HIGH T-SLOTTED SUB-TABLE (Used on P&W Wolverine)
- 2 - 52" X 58-1/2" X 9" T-SLOTTED SUB TABLES
- 3 - 39-1/2" X 71-1/2" X 14-1/2" T-SLOTTED GRID PATTERN SUB TABLES
- 3 - 39" X 98" H X 47" D SINGLE PIECE CAST IRON T-SLOTTED RIGHT ANGLE PLATES
- 1 - 108" X 72" X 35" RIGHT ANGLE PLATE, Drilled & Machined Slot Cut-Outs
- 1 - 121" X 95" X 51" RIGHT ANGLE PLATE, Grid Pattern, Drilled & Machined Slot Cut-Outs
- 1 - PAIR 12" W X 72" L X 14" H RISERS
- 1 - PAIR 14" W X 72" L X 18" H RISERS
- 1 - PAIR 13" W X 72" L X 14" H RISERS
- 1 - PAIR 12" W X 72" L X 14" H RISERS
- 1 - 142" LR X 59" FB X 8" T-SLOTTED BOLSTER
- 1 - 142" LR X 60" FB X 6" T-SLOTTED BOLSTER
- 1 - D-1 DIE PLATES, Machined, Slotted, Drilled & Tapped, (1) 36" x 60" x 1-7/8", (1) 48" x 60" x 2", (1) 60" x 70" x 2", (1) 25" x 60" x 2-1/4", (1) 26" x 54" x 2"
- 1 - D-1 DIE PLATES, Drilled & Tapped & Grid Pattern Machined, (5) 48" x 60" x 2", (2) 36" x 60" x 2", (1) 60" x 70" x 2"



Quantity of Machine Accessories Including: Kurt Machine Vises 6" to 10", Speedvise Machine Vises 6" to 8", Large Quantity of CAT 50, CAT 40, Std, 50 Toolholders, R-8 Tooling, Collets, Grinding Accessories, Clamping Hardware, Holddowns, T-Nuts, Studs, T-Bolts, Step Blocks, Strap Clamps, Die Clamps, Set-Up Tables, Die Plates, Risers, Parallels, Sine Plates, Angle Plates, etc.

Lot of Angle Plates, (2) 59-1/2" X 159", (1) 20" X 67", (2) 35-3/4" X 75-1/2" (Located at 2066 Bristol Avenue N.W., Walker, MI)



(2) CINCINNATI VERCI-POWER VERTICAL MILLING MACHINES



ACRA AM-3VAC 3-HP VARIABLE SPEED VERTICAL MILLING MACHINE



CARLTON 6' ARM X 17" COLUMN RADIAL ARM DRILL



MEDINA MODEL A END & BOYAR SCHULTZ NO. 2 PROFILE GRINDERS



MATTISON MODEL 24, 42" VERTICAL SPINDLE ROTARY SURFACE GRINDER



GALLMEYER & LIVINGSTON "GRAND RAPIDS" 570 16" X 36" HYDRAULIC SURFACE GRINDER



DOALL MODEL 36" VERTICAL CONTOUR BANDSAW



GROB 36" VERTICAL BANDSAW

(14) MILLING MACHINES

- 1 - CINCINNATI VERCI-POWER VERTICAL MILLING MACHINE, S/N 9J63V5L-2, Spindle Speeds 14 - 1400 RPM, Table Size 20" x 104-1/2", Sony 3 Axis Readout, 50-HP, With Power Drawbar
- 1 - CINCINNATI VERCI-POWER VERTICAL MILLING MACHINE, S/N 9J44V5S-5, Spindle Speeds 16 - 1600 RPM, Table Size 20" x 86", 25-HP, Sony 3 Axis Readout
- 1 - ACRA MODEL AM-3VAC 3-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N 960086 (1996), Spindle Speeds 50 - 5000 RPM, Table Size 10" x 54", Servo Type 150 Power Table Feed, W/ Servo 140 Power Knee Feed, Kurt Power Lock Automatic Power Drawbar, Sargon Gold Standard 2 Axis Readout
- 1 - ACER MODEL 3V 3-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N 367037, Spindle Speeds 60 - 4200 RPM, Table Size 9" x 42", Sargon Gold Standard 2 Axis Readout
- 1 - BRIDGEPORT 2-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N BR269269 (1997), Spindle Speeds 60 - 4200 RPM, Table Size 9" x 48", Servo Type 150 Power Table Feed, Kurt Power Lock Automatic Power Drawbar, Sony Millman 2 Axis Readout
- 1 - BRIDGEPORT 2-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N BR263007 (1993), Spindle Speeds 60 - 4200 RPM, Table Size 9" x 48", Sony 2 Axis Readout
- 1 - BRIDGEPORT 2-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N BR258344 (1991), Spindle Speeds 60 - 4200 RPM, Table Size 9" x 48", Sony 2 Axis Readout
- 1 - CINCINNATI NO. 3 PLAIN HORIZONTAL MILLING MACHINE, S/N 3J3PIT-3, Spindle Speeds 16 - 1600 RPM, Table Size 18" x 64"
- 1 - WMW HECKERT UNIVERSAL HORIZONTAL/VERTICAL MILLING MACHINE, S/N NA, No. 50 Spindle Taper, 3 Axis Digital Readout
- 1 - BRIDGEPORT MODEL J 2-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N BR268362, Table Size: 9" X 48", Millman 2-Axis Dro, (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - BRIDGEPORT MODEL J 2-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N BR253070, Table Size: 9" X 48", Millman 2-Axis Dro, Power Table Feed (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CINCINNATI NO. 5 HORIZONTAL PRODUCTION MILL, S/N 415P1Z-6, Table Size: 22.75" X 94.5", 14-1400 RPM, (M4017A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - BRIDGEPORT SERIES I 2-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N 12BR249876, Power Table Feed, Newall 2-Axis Dro, (M4016A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CINCINNATI MILACRON MODEL VERCI POWER 430-20 PLAIN DK HORIZONTAL MILLING MACHINE, S/N 311044H81-0003, Wide Knee Type, Table Size: 20" X 86-1/2", Spare Table Size: 18" X 80" (Located at 2066 Bristol Avenue N.W., Walker, MI)

HYDROTELS

- 1 - CINCINNATI HYDROTEL VERTICAL MILLING MACHINE, S/N 5H3V5D-9, Table Size: 28" X 157", with Lemoine Real Time Digitizing CNC Unit, (M4011A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CINCINNATI HYDROTEL VERTICAL MILLING MACHINE, S/N 1H6V5E-10, Table Size: 28" X 133", Sub Table Size: 28" X 48", 88-1,100 Spindle RPM, with Lemoine Real Time Digitizing CNC Unit, (M4010A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CINCINNATI HYDROTEL 40/120 CNC VERTICAL MILLING MACHINE, S/N 31341V75-0003, (3) 57" X 66" Tables, 20-2,000 Spindle Rpm, Travels: X=120", Y=38", Z=24", CNC Control with Lemoine Real Time Digitizing Unit, (M3007A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

(13) RADIAL DRILLS

- 1 - CINCINNATI BICKFORD SUPER SERVICE 8' ARM X 19" COLUMN RADIAL DRILL, S/N 6E-705, Spindle Speeds 75 - 1000 RPM, Power Feed & Travels, Power Clamping, 2-Way T-Slotted Base
- 1 - CARLTON 6' ARM X 19" COLUMN RADIAL ARM DRILL, S/N 4A4859, Spindle Speed Range 12 - 1200 RPM, Power Feed & Travels, Power Clamping, 2-Way T-Slotted Base
- 1 - CARLTON 6' ARM X 19" COLUMN RADIAL DRILL, S/N 1095, (48) Spindle Speeds 15 - 1500 RPM, Power Travels, Power Clamping,
- 1 - CARLTON 6' ARM X 17" COLUMN RADIAL DRILL, S/N 6A 2940, (36) Spindle Speeds 8.0 - 800 RPM, Power Travels, Power Clamping, Coolant, 36" Bolt-On T-Base, Universal Box Table
- 1 - CARLTON 5' ARM X 15" COLUMN RADIAL DRILL, S/N 3082, (36) Spindle Speeds 12 - 1200 RPM, Power Feed & Travels, Power Clamping, 10" High T-Slotted Plain Box Table, 36" Bolt-On L-Base Extension, With Universal Box Table
- 1 - CARLTON 5' ARM X 13" COLUMN RADIAL DRILL, S/N 3A4672, (36) Spindle Speeds 12 - 1200 RPM, Power Feeds & Travels, Power Clamping, Coolant, Plain Box Table
- 1 - CARLTON 3' ARM X 9" COLUMN RADIAL DRILL, S/N 1A2832, (12) Spindle Speeds 80 - 2000 RPM, Power Feed, Manual Clamp, Coolant, Plain Box Table
- 1 - KBC MODEL DSR750S 3' ARM X 7-1/2" COLUMN RADIAL DRILL, S/N 84564, (6) Spindle Speeds 88 - 1500 RPM, Power Travels, Manual Clamp, Plain Box Table
- 1 - CARLTON MODEL 4A 6' X 19" COLUMN RADIAL DRILL, S/N 4A3776, T-Base, 78" Plate, 15-1500 RPM (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CARLTON MODEL 3A 6' X 17" COLUMN RADIAL DRILL, S/N 3A4355, T-Base, 78" X 78" Plate, 15-1500 RPM, (M7018A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CARLTON 6' ARM X 17" COLUMN RADIAL DRILL, S/N N/A, L-Type Base Attachment, 24" X 30" X 18" Tilting Box Table, 12-1,200 Spindle RPM, (M7024A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CARLTON 5' ARM X 13" COLUMN RADIAL DRILL, 12-1,200 Spindle RPM, T-Type Base, (M7013A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CINCINNATI BICKFORD MODEL 6E RADIAL DRILL, S/N 6E-915, T-Base, 78" X 78" Plates (Located at 2066 Bristol Avenue N.W., Walker, MI)

DRILLS

- 1 - ALLEN 30" SINGLE SPINDLE BOX COLUMN SLIDING DRILL PRESS, S/N MAT-33953, 24" x 34" Adjustable Table
- 1 - CLEERMAN 28" SINGLE SPINDLE BOX COLUMN SLIDING DRILL PRESS, S/N NA, Power Down Feed, 24" x 48" T-Slotted Adjustable Table, Coolant
- 2 - AVEY NO. 2 BOX COLUMN DRILL PRESSES, S/N 30495-1, 24" Capacity, 34" X 25" Table Size, (MA13070) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - ALLEN MODEL MAT BOX COLUMN DRILL PRESS, S/N 34936, 30" Capacity, Table Size: 34" X 25", (D740) (Located at 2066 Bristol Avenue N.W., Walker, MI)

ENGINE LATHES

- 1 - LEBLOND REGAL SERVO SHIFT 19" X 54" ENGINE LATHE, S/N 4E-873, Spindle Speeds 38 - 1500 RPM, Quick Change Threading, Taper Attachment, Thread Chasing Dial, Micrometer Carriage Stop, Removable Chip Pan, 12" 3-Jaw & 4-Jaw Chucks
- 1 - CLAUSING COLCHESTER 17" X 80" ENGINE LATHE, S/N 7/0006/02156, Spindle Speeds 20 - 1600 RPM, English/Metric Threading, 3/8" Hole-Thru-Spindle
- 1 - LEBLOND REGAL ENGINE LATHE, 13" X 36" CENTER DISTANCE, 3-Jaw Chuck, Chasing Dial, Threading, (M9003A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - RIVETT LATHE GRINDING SECOND HAND LATHE, 5" X 20" Center Distance, (M9004A) (Located at 2066 Bristol Avenue N.W., Walker, MI)


ROTARY SURFACE GRINDERS

- 1 - MATTISON MODEL 24, 42" VERTICAL SPINDLE ROTARY SURFACE GRINDER, S/N 24-227, 22" Diameter Segmental Grinding Wheel, 42" Diameter Electromagnetic Chuck, 60-HP Wheel Head, External Coolant Unit
- 1 - BLANCHARD MODEL NO. 18 ROTARY GRINDER, S/N 9329, 42" Electromagnetic Chuck, (M8014A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

MISCELLANEOUS DIE BLOCK GRINDERS

- 1 - ABRASIVE NO. 18 18" ABRASIVE FACE GRINDER, S/N 18-699, 18" Diameter Grinding Wheel 14" x 22" Electromagnetic Chuck, With Neutrofer II Variable Control, 15-HP, External Coolant Unit
- 1 - BOYAR SCHULTZ NO. 2 PROFILE GRINDER, S/N 2669, Over Arm Spindle
- 1 - MEDINA MODEL A END GRINDER, S/N NA, 7" 1-1/2-HP Vertical Spindle Grinding Wheel

Visit www.hilcoind.com to view the additional photos of equipment being offered at this sale.



CINCINNATI 13 SERIES X 10' 400-TON X 14' MECHANICAL PRESS BRAKE




CINCINNATI MODEL 1410 3/16" X 10' POWER SQUARING SHEAR



SUMMIT 6 X 1/8 1/8" X 6' CAPACITY HYDRAULIC PRESS BRAKE



LAMINA PORTABLE HYDRAULIC DIE SEPARATOR UNIT



DAKE MODEL 945134 150-TON UPACKING 4-POST HYDRAULIC PRESS



INGERSOLL RAND MODEL SSR-EP75 75-HP ROTARY SCREW AIR COMPRESSOR

1997

(11) SURFACE GRINDERS

- 1- GALLMEYER & LIVINGSTON "GRAND RAPIDS" MODEL 570 16" X 36" HYDRAULIC SURFACE GRINDER, S/N 570216, Electromagnetic Chuck, With Electro-Matic Variable Control, Incremental Feed Control, Manual Overhead Dresser, External Coolant Unit
- 1- GALLMEYER & LIVINGSTON "GRAND RAPIDS" MODEL 383 10" X 30" HYDRAULIC SURFACE GRINDER, S/N 383232, Electromagnetic Chuck, With Neutroflor II Control, Incremental Feed Control, External Coolant Unit, Manual Overhead Dresser
- 1- GALLMEYER & LIVINGSTON "GRAND RAPIDS" MODEL 380 10" X 30" HYDRAULIC SURFACE GRINDER, S/N 380190, Electromagnetic Chuck, With Neutroflor II Control, Manual Overhead Dresser, External Coolant Unit
- 1- GALLMEYER & LIVINGSTON "GRAND RAPIDS" MODEL 280 8" X 24" HYDRAULIC SURFACE GRINDER, S/N NA, Wheel Dresser, Digital Readout
- 2- GALLMEYER & LIVINGSTON "GRAND RAPIDS" MODEL S-20 6" X 18" HAND FEED SURFACE GRINDERS, S/N S-20293, S-20294, Electromagnetic Chuck
- 1- GALLMEYER & LIVINGSTON "GRAND RAPIDS" MODEL 250 6" X 18" HYDRAULIC SURFACE GRINDER, S/N 250175, Electromagnetic Chuck, Coolant (Stored)
- 1- KENT MODEL KGS-410 HYDRAULIC SURFACE GRINDER, S/N 861257 (1986), 16" X 39" Electromagnetic Chuck, (M8019A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1- KENT MODEL KGS-200 SURFACE GRINDER, S/N 850951-5 (1985), 6" X 18" Permanent Magnetic Chuck (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1- GALLMEYER & LIVINGSTON MODEL 350 HYDRAULIC SURFACE GRINDER, S/N 350369, 8" X 24" Electromagnetic Chuck, (M8018A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1- NAGASE MODEL W-6 HYDRAULIC SURFACE GRINDER, S/N 2035, 12" X 23-1/2" Electromagnetic Chuck, Over Wheel Dresser, (M8029A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

(6) BANDSAWS

- 1- ARMSTRONG BLUM MARVEL SERIES 8 MARK II UNIVERSAL TILT-FRAME VERTICAL BANDSAW, S/N 827010, Power Feed, Coolant, Manual Tilt
- 1- 42" C-FRAME VERTICAL BANDSAW, MFG'R & S/N NA, 7-1/2-HP
- 1- DOALL 36" VERTICAL CONTOUR BANDSAW, S/N NA, Blade Speeds Variable 25 - 6000 FPM, DoAll DBW-15 Blade Welder/Grinder
- 1- GROB 36" VERTICAL BANDSAW, MODEL & S/N NA
- 1- DOALL MODEL 30-S.F.P. 30" VERTICAL CONTOUR BANDSAW, S/N 106-56192, Blade Welder/Grinder Table Extension
- 1- DOALL VERTICAL BANDSAW, S/N 515489, 16" Capacity, with Welder & Grinder (Located at 2066 Bristol Avenue N.W., Walker, MI)

PRESS BRAKES

- 1- CINCINNATI 13 SERIES X 10' 400-TON X 14' MECHANICAL PRESS BRAKE, S/N 41669, 400-Ton at Stroke Bottom, 130-Ton at Midstroke, 36" Permanently Flanged Ram & Bed, 125" Between Housings
- 1- SUMMIT MODEL 6 X 1/8 1/8" X 6' CAPACITY HYDRAULIC PRESS BRAKE, S/N 2233, 82" Between Housings
- 1- NATIONAL MODEL UO4812 48" X 12 GAUGE FINGER TYPE HAND OPERATED SHEET METAL BENDING BRAKE, S/N 295-894
- 1- ROPER WHITNEY MODEL 612 FINGER BREAK, S/N 415-4-75, 72" Capacity, (M13005A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

POWER SHEAR

- 1- CINCINNATI MODEL 1410 3/16" X 10' POWER SQUARING SHEAR, S/N 29115, Hold Downs, 66" Squaring Arm

PATTERN/WOOD SHOP EQUIPMENT

- 1- DELTA UNISAW NO. 34-802 10" TILTING ARBOR TABLE SAW, S/N 93H-94966
- 1- STATE MODEL B4 VERTICAL OSCILLATING SPINDLE SANDER, S/N 5003
- 2- CUSTOM BUILT OVERARM LAYOUT TABLE TYPE MILLING/ROUTING MACHINES
- 5- CINCINNATI MODEL 100S 1-HP 55-GALLON DRUM MOUNTED DUST COLLECTORS, S/Ns G009725, G903327, G008613, G903280, G009100

HYDRAULIC DIE SERVICE EQUIPMENT

- 1- ANCHOR LAMINA PORTABLE HYDRAULIC DIE SEPARATOR UNIT, S/N EDS1085, Electric Power Unit, Allen Bradley Micro Logix 1200 PLC Control, With Panel View 300 Touch Screen, 4-Station Hose Reels, (12) Double Action Hydraulic Jacking Heads, Cart Mounted
- 1- LAMINA PORTABLE HYDRAULIC DIE SEPARATOR UNIT, S/N 1001, 4-Station, (4) 2-Way Hydraulic Jacking Heads
- 1- LAMINA PORTABLE MAGNETIC BASE HYDRAULIC DRILLING UNITS, S/Ns P1582, P2005V, P1840V
- 1- LAMINA MODEL PVP1023 HYDRAULIC PORTABLE DRILL, S/N N/A (Located at 2066 Bristol Avenue N.W., Walker, MI)

OVENS

- 1- GRIEVE MODEL HA-1250 SINGLE DOOR ELECTRIC OVEN, S/N 480014, 20 KW, Maximum Temperature 1250 Degree Fahrenheit, Inside Dimensions 20" x 20" x 20"
- 1- GRIEVE MODEL AA-1000 SINGLE DOOR ELECTRIC OVEN, S/N 340011, 12 KW, Maximum Temperature 1000 Degree Fahrenheit, Inside Dimensions 24" x 24" x 24"
- 1- BLUE M MODEL TLG-24-1C-2 OVEN, S/N T4-202, 1,300 Degrees Fahrenheit Max. Temperature (Located at 2066 Bristol Avenue N.W., Walker, MI)

HYDRAULIC SHOP PRESSES

- 1- DAKE MODEL 945134 150-TON UPACKING 4-POST HYDRAULIC PRESS, S/N 182120, Distance Between Posts 28-1/2" LR x 16" FB, Overall Bed Size 38-1/2" LR x 26" FB, Floor Standing
- 1- DAKE APPROXIMATELY 50-TON H-FRAME HYDRAULIC PRESS, S/N NA, 44" Between Uprights, Adjustable Rail, Manual Hydraulics
- 1- H-FRAME HYDRAULIC SHOP PRESS, MFG'R NA, OTC Hand Pump

WELDING EQUIPMENT

- 1- LINCOLN ELECTRIC SQUARE WAVE TIG-355 AC/DC TIG & STICK WELDING POWER SUPPLY, S/N U1000214381 (2000), CMI Water Cooling Unit, Tig Leads
- 1- MILLER SYNCROWAVE 351 CC AC/DC WELDING POWER SUPPLY, S/N KF800062, Coolmate 4 Water Cooling System, Tig Leads, Cart
- 1- MILLER DELTAWELD 451 CONSTANT VOLTAGE DC WELDING POWER SUPPLY, S/N KB091451, With S-60 24-Volt Constant Speed Wire Feeder, Cart
- 1- LINCOLN IDEALARC TIG 250/250 VARIABLE VOLTAGE AC/DC WELDING POWER SUPPLY, S/N AC864374, With Miller Coolmate 4 Water Cooling System, Tig Welding Leads
- 1- THERMAL DYNAMICS MODEL PAK5XR 20-AMP PORTABLE PLASMA CUTTER, S/N R60846A1832 3A
- 1- THERMAL DYNAMICS PAK MASTER 75 PLASMA CUTTER, S/N NA
- 1- MILLER DELTAWELD MODEL 451 MIG WELDER, S/N JH299380 (1987), 450-AAP, Wire Feeder, Leads, Cart, (M15017A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1- LINCOLN IDEALARC DC-600 MIG WELDER, S/N U1981008306 (1998), 600-AMP, Lincoln Model LN-8 (Located at 2066 Bristol Avenue N.W., Walker, MI)

AIR COMPRESSORS

- 1- INGERSOLL RAND MODEL SSR-EP75 75-HP ROTARY SCREW AIR COMPRESSOR, S/N F18944U972A7 (1997), 332 CFM, 125 PSIG, Intellisys Digital Controls, Sound Enclosure Panels
- 1- INGERSOLL RAND REFRIGERATED COMPRESSED AIR DRYER, MODEL & S/N NA

Visit www.hilcoind.com
to view the additional photos of
equipment being offered at this sale.



VIEW OF STANLEY VIDMAR
MULTI-DRAWER TOOL CABINETS



KENWORTH T600B TANDEM AXLE
CONVENTIONAL TRUCK TRACTOR



TRANSCRAFT MODEL EAGLE W2 48' X 102'
TANDEM AXLE FLATBED TRAILER

1998



VIEW OF GMC SIERRA PICKUP TRUCKS



VIEW OF CHRYSLER 300 HEMI C, MERCURY MONTEGO PREMIER, FORD
POLICE INTERCEPTOR & FORD TAURUS SE FOUR-DOOR SEDANS

TO 2005

COORDINATE MEASURING MACHINES

- 1 - TARUS MODEL TPINC/0584 SINGLE ARM COORDINATE MEASURING MACHINE, S/N TP1WCC631082 (1983), 6' X 11' Table, Renishaw 9 Probe, 10' Horizontal, 6' Vertical Travels, (M10001A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - CHECKMASTER MODEL 538-251 COORDINATE MEASURING MACHINE, S/N 08-14 M1003A (1980), Travels: X=44", Y=88", Z=36" (Located at 2066 Bristol Avenue N.W., Walker, MI)
- 1 - MFG. UNKNOWN SINGLE ARM CMM WITH DMIS, Renishaw Model# Pac-10 Probe, 16' Horizontal, 10' Vertical Travel, 8' X 20' Table, (M10002A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

SURFACE/LAYOUT PLATES

- 1 - 86-1/2" X 248" X 28" THICK GRANITE SURFACE PLATE, Floor Mounted
- 1 - 48" X 72" X 6" BLACK GRANITE SURFACE PLATE, With Stand
- 1 - 36" X 60" X 6" BLACK GRANITE SURFACE PALTE, With Steel Base
- 1 - 24" X 36" X 5" 2-LEDGE BLACK GRANITE SURFACE PLATE, Portable Stand
- 1 - TRU-STONE 36" X 60" X 6" GRANITE SURFACE PLATE, S/N 12340
- 2 - 59" X 157" T-SLOTTED STEEL LAYOUT TABLES
- 1 - 72" X 130" CAST IRON LAYOUT TABLE
- 1 - 48" X 84" X 2" THICK STEEL LAYOUT TABLE
- 1 - 62" X 157" X 3" STEEL LAYOUT TABLE

SHOP & FACTORY GRINDERS & SAWS

- 1 - POWERMATIC MODEL 1021W 10" 1-1/2-HP DOUBLE END PEDESTAL GRINDER, S/N 163
- 1 - DAYTON MODEL 2Z341N 6" 1/2-HP DOUBLE END PEDESTAL GRINDER
- 1 - BALDOR NO. 7307 7" 1/2-HP DOUBLE END PEDESTAL GRINDER
- 1 - DAYTON NO. 4Z123C 6" 1/3-HP DOUBLE END PEDESTAL GRINDER
- 1 - BALDOR NO. 7309D 7" 1/2-HP DOUBLE END PEDESTAL GRINDER
- 1 - DAYTON NO. 4Z672B 6" DOUBLE END PEDESTAL GRINDER
- 1 - ROCKWELL DELTA NO. 31-730 12" DISC/6" BELT COMBINATION GRINDER, S/N 8-113488
- 1 - ROCKWELL DELTA 6" VERTICAL ABRASIVE BELT GRINDER, S/N 100-7272
- 1 - 6" VERTICAL ABRASIVE BELT GRINDER, MFG'R NA
- 1 - STONE 16" 7-1/2-HP ABRASIVE CUT-OFF SAW, S/N 0220
- 4 - LIFTING TONGS
- 1 - CARBOLOY MODEL 46-C 6" DOUBLE END CARBIDE TOOL GRINDER, S/N 258

MISCELLANEOUS MACHINES/SHOP & FACTORY

- 1 - DEVILBISS DOUBLE DOOR FREE STANDING SPRAY PAINT BOOTH, Dry Filter Type Exhaust Inside Dimensions 12' W x 9' D x 8' H, Bolted Steel Panels
 - 1 - MFG'R NA MODEL RA-48-24 FT 48" X 24" ABRASIVE DRY BLAST CABINET, S/N 90-3126, Siphon Type, Flip Top, With Dust Collector
 - 1 - BUILD-ALL MODEL AL8 PARTS WASHER-DEGREASER, S/N 100037751, Tank Size 48" x 24", Pneumatic Agitator, Ambient Temperature
 - 1 - TRI-COASTAL MODEL 286, 50,000-LB. CAPACITY ELECTRONIC DIGITAL CRANE SCALE, S/N NA, 20-LB. Increments
 - 1 - HAMMOND DUSKOLECTOR MODEL 40-B CABINET TYPE DUST COLLECTOR, S/N 4972
 - 8 - SELF DUMPING HOPPERS, Caster Base 1/2 YD to 3/4 YD
 - 18 - STANLEY VIDMAR/BOTT-KENNEDY & OTHERS MULTI-DRAWER TOOL CABINETS, (4) 42", (10) 44", (4) 59"
 - 1 - BOYAR-SCHULTZ NO. 2 PROFILE GRINDER, S/N 2506, (M8022A) (Located at 2066 Bristol Avenue N.W., Walker, MI)
 - 1 - MEDINA MODEL B END GRINDER (Located at 2066 Bristol Avenue N.W., Walker, MI)
- Large Quantity Shop & Factory Equipment Including: Vidmar/Kennedy/ Others Multi-Drawer Tool Cabinets, Hardwood Top Workbenches, Cabinets, Steel Die Horses, Chain Slings, Lifting Eyes, Eyebolts, Perishable Tool Cutters, Drills, Taps, Carbide Inserts, Reamers, Insert Holders, Face Mills, etc., Nuts, Bolts, Fasteners, Fittings, Shelving, Pallet Racking, Shop Carts, Poly Trash Hoppers, etc.
- Lot of Ladders, Floor Standing Arbor Press, Palm Buttons, Parker Fluid Pump, Snow Blower, Barrel Stands, Barrel Dollies, Storage Tank, Misc. Cleaning Supplies, Pallet Jacks, Stools, Saw Horses, Chains, Parker Hose Machines, Shop Vacs, Die Carts, Lemoine Digitizing Systems, Lift Straps, Nitrogen Tank Racks, C-Clamps, Portable A-Frame Gantry W/Yale Chain Hoist, Etc. (Located at 2066 Bristol Avenue N.W., Walker, MI)



2002

GMC YUKON DENALI
FOUR-DOOR SUV

TRUCK TRACTOR

- 1 - 1993 KENWORTH T600B TANDEM AXLE CONVENTIONAL TRUCK TRACTOR, VIN: 2XKABR9XXPM592151, Detroit Diesel Series 60 425-HP, Fuller RTX14710BP 10 Speed Transmission, DS402 4:11 Rears, 12,000-LB. Front Axle, 38,000-LB. Rears, 8 Bag Air Ride Suspensions 60" Stand-Up Walk-In Sleeper, Cruise, Engine Brake, 11R24.5 Tires on Aluminum Disc Wheels

TRAILERS

- 1 - 1998 TRANSCRAFT MODEL EAGLE W2 48' X 102" TANDEM AXLE FLATBED TRAILER, VIN: 1TXY40209X2008220, Air Ride Spread Tandem, 80,000-LB. GVWR, Aluminum Floor, With (4) Nailer Strips, Conestoga 2000 8' Soft Side Sliding Tarp, 2 85/75 R24.5 Tires on Aluminum Wheels
- 1 - CONCEPT TRAILERS 25' TANDEM AXLE ENCLOSED ALUMINUM 5TH WHEEL TRAILER, VIN: 1C9S128265FJ37001, Double Doors, Right & Left Side Doors
- 1 - 12' TANDEM AXLE ENCLOSED ALUMINUM UTILITY TRAILER, S/N NA
- 2 - TANDEM AXLE FLATBED UTILITY TRAILERS, MFG'R & S/N NA

TRUCKS & VAN

- 1 - 1999 FORD F550 SUPER DUTY FLATBED TRUCK, VIN: 1FDAF56FXXEB54543, 17,500-LB. GVWR, Power Stroke V-8 Diesel Automatic, 12' Wood Deck Flatbed (103,037 Miles)
- 1 - 1993 GMC SIERRA SL 3500 FLATBED TRUCK, VIN: 1GDKC34F8PJ515151, Diesel, 5 Speed, Dual Rear Wheels, A/C, 11' Wood Deck Flatbed (274,014 Miles)
- 1 - 2005 GMC SIERRA 2500 HD PICK UP TRUCK, VIN: 1GTHC24U85E331731, V8 Gas, Automatic, Standard Cab (17,611 Miles)
- 1 - 2005 GMC SIERRA 2500 HD PICK UP TRUCK, VIN: 1GTHC24U55E335168, V8 Gas, Automatic, Standard Cab (40,513 Miles)
- 1 - 1994 GMC SIERRA 2500 SLE PICK UP TRUCK, VIN: 1GTGC24N9RE552698, V8 Gas, Automatic, Standard Cab, PW/PL, A/C (171,323 Miles)
- 1 - 1997 FORD ECONOLINE 350 VAN, VIN: 1FDJS34LOVHA65259, Extended Roof, Triton V8 Engine, Cruise, PW/PL (105,519 Miles)

VEHICLES/AUTOMOBILES

- 1 - 2005 CHRYSLER 300 HEMI C FOUR-DOOR SEDAN, VIN: 2C3JA63H15H530331, PW/PL/PS, Cruise, A/C, CD (193,738 Miles)
- 1 - 2005 CHRYSLER 300 HEMI C FOUR-DOOR SEDAN, VIN: 2C3JA63HX5H530330, PW/PL/PS, Cruise, A/C, CD (88,430 Miles)
- 1 - 2005 MERCURY MONTEGO PREMIER FOUR-DOOR SEDAN, VIN: 1MEHM42145G615958, PW/PL/PS, Cruise, CD6 MP3 CD Stereo, A/C, Programmable Entry Locks
- 1 - 2005 FORD TAURUS SE FOUR-DOOR SEDAN, VIN: 1FAFP53U35A126362, PW/PL/PS, Cruise, CD, A/C (102,464 Miles)
- 1 - 2005 FORD TAURUS SE FOUR-DOOR SEDAN, VIN: 1FAFP53U05A126156, PW/PL/PS, Cruise, CD, A/C
- 1 - 2004 FORD TAURUS SES FOUR-DOOR SEDAN, VIN: 1FAFP53U04A126156, PW/PL/PS, Cruise, CD, A/C
- 1 - 2003 FORD TAURUS SE FOUR-DOOR SEDAN, VIN: 1FAFP53U03A142841, PW/PL/PS, Cruise, CD A/C (083,500 Miles)
- 1 - 2002 GMC YUKON DENALI FOUR-DOOR SUV, VIN: 1GKEK63UX2J216196, Deluxe Interior, Leather Seats (Heated), Bose Sound System, On-Star (118,245 Miles)
- 1 - 2000 FORD POLICE INTERCEPTOR FOUR-DOOR SEDAN, VIN: 2FAFP71W8YX169946, PW/PL, A/C (095,089 Miles)



HYSTER MODEL S150A 15,000-LB. STRETCH FORKLIFT



(2) 20,000-LB. CAPACITY STAND-UP RIDER ELECTRIC DIE HANDLER TRUCKS



CASE UNI-LOADER MODEL 1845 SPECIAL SKID STEER LOADER



CALAVAR CONDOR MODEL 4046N TELESCOPIC BOOM AERIAL WORK PLATFORM



2006
CUMMINS G GHH - 5774586 EMERGENCY STAND-BY AC POWER GENERATOR



VIEW OF OFFICES

EX MARK TURF TRACER HYDRO TTH-22X WALK BEHIND & EX MARK LAZER Z EFI LZ26KC604 RIDER ZERO-TURN COMMERCIAL LAWN MOWERS



(18) FORKLIFTS

- 1 - TAYLOR MODEL TCO - 250S 25,000-LB. CAPACITY FORKLIFT, S/N S-09-25321 (1996), Diesel, Non-Marking Solid Cushion Tires, 120" Lift See-Through Mast, Hydraulic Side Shift, 6' Forks, (3733 Hours)
- 1 - TAYLOR MODEL TCO - 250S 25,000-LB. CAPACITY FORKLIFT, S/N S-09-25325 (1996), Diesel, Non-Marking Solid Cushion Tires, 120" Lift See-Through Mast, Hydraulic Side Shift, (New) 8' Forks, (1841 Hours)
- 1 - CLARK MODEL C500Y250 25,000-LB. CAPACITY FORKLIFT, S/N Y162-2549-3665, LPG, Pneumatic Tires, 10' Lift Height, 8' Forks
- 1 - HYSTER MODEL S150A STRETCH FORKLIFT, S/N NA, 18,000-Lb. Lift Capacity, Perkins LPG Engine, Solid Cushion Tires, Side Shift, Hydraulic Power Fork Positioning, 6' Forks
- 1 - HYSTER MODEL S150A 15,000-LB. CAPACITY FORKLIFT, S/N A024D05725H, LPG, Solid Tires, 3 Speed Oil Clutch, 159.5" Lift, 2-Stage Mast, 112" Mast Height, Non-Mar Tires, 72" Forks
- 1 - HYSTER MODEL S150A 15,000-LB. CAPACITY LP GAS FORKLIFT, Perkins Engine, Oil Clutch, 3 Speed Manual Transmission
- 1 - AUTOLIFT MODEL ERA150SD 15,000-LB. CAPACITY FORKLIFT, Electric 72" Forks, With Side Shift & Fork Positioner
- 1 - CAT MODEL GC70K 15,000-LB. CAPACITY LP GAS FORKLIFT, (800 Hours)
- 1 - YALE MODEL GLC140SBS096 14,000-LB. CAPACITY FORKLIFT, S/N P299279, LPG, Solid Cushion Tires, 133" Lift, 5' Forks
- 1 - HYSTER MODEL S100XL 10,000-LB. LP GAS FORKLIFT
- 1 - ALLIS CHALMERS MODEL ACC80 8,000-LB. CAPACITY FORKLIFT, S/N 17306271, LPG, Solid Tires, 133" Lift, 2-Stage Mast, 60" Forks
- 1 - HYSTER MODEL S70XL 7,000-LB. CAPACITY LP GAS FORKLIFT
- 1 - HYSTER MODEL S60XM 6,000-LB. CAPACITY LP GAS FORKLIFT
- 1 - YALE MODEL L83C-060-SBS-071 6,000-LB. CAPACITY FORKLIFT, S/N P-280461, LPG, Solid Tires, 130" Lift, Non-Mar Tires, 42" Forks
- 2 - CLARK C500-50 5,000-LB. CAPACITY FORKLIFTS, S/N's NA, LPG, Solid Tires, 3-Stage Mast
- 1 - CLARK MODEL CF50 5,000-LB. CAPACITY FORKLIFT, S/N NA, LPG, Solid Tires, 2-Stage Mast
- 1 - ALLIS CHALMERS MODEL FTL20 2,000-LB. CAPACITY FORKLIFT, S/N 28936000, LPG, Solid Tires, 130" Lift, 36" Forks
- 1 - BIG JOE MODEL 1056 1,500-LB. CAPACITY DIE LIFT CART, S/N 54801, Battery Powered Hydraulics
- 1 - NUTTING DIE CART 40,000-LB. CAPACITY, 120" L X 54" W
- 1 - HERTNER MODEL TF18-550 36-VOLT 135-AMP INDUSTRIAL BATTERY CHARGER, S/N 62428-ZR

DIE HANDLER TRUCKS

- 2 - 20,000-LB. CAPACITY STAND-UP RIDER ELECTRIC DIE HANDLER TRUCKS, MFG'R & S/N NA, Platform Size 52" x 48"

AERIAL WORK PLATFORM

- 1 - CALAVAR CONDOR MODEL 4046N TELESCOPIC BOOM AERIAL WORK PLATFORM, S/N N322-000254, LPG, Maximum Platform Height 486 in. (40.5'), Maximum Horizontal Reach 393 in. (32.75'), Rated Load Radius 372 in. (31'), 12-16.5 Pneumatic Tires

SKID STEER LOADER

- 1 - CASE UNI-LOADER MODEL 1845 SPECIAL SKID STEER LOADER, S/N 9836170, 4-Cylinder Gas Engine, 12-16.5 Pneumatic Tires, 66" Bucket

LAWN & GROUNDS CARE EQUIPMENT

- 1 - EX MARK TURF TRACER HYDRO MODEL TTH-22X WALK BEHIND COMMERCIAL LAWNMOWER, S/N 102261, 60" Front Mounted Mower Deck, Kohler 2 Cylinder Gas Engine, With Side Mounted Vacuum Attachment, Briggs & Stratton 8-HP Gas Engine, Collection Receiver (2,825 Hours)
 - 1 - EX MARK TURF TRACER MODEL TT22KC WALK BEHIND COMMERCIAL LAWN MOWER, S/N 171890, 60" Front Mower Deck, Kohler 2 Cylinder Gas Engine, Rider Board Attachment (1,874 Hours)
 - 1 - EX MARK LAZER Z EFI MODEL LZ26KC604 RIDER TYPE ZERO-TURN COMMERCIAL LAWN MOWER, S/N 393729, Ultra Cut 60 60" Mower Deck, Kohler Command Pro 26-HP Gas Engine (0852 Hours)
 - 1 - JOHN DEERE 60" MOWER DECK ATTACHMENT, Sand Pro Rider Type Sand Conditioner Tractor, Gas Powered Tow-Behind Broom Attachment
- Lawn & Grounds Care Equipment Including Hand Tools, Rakes, Shovels, Pitch Forks, Blowers, Pumps, Service Parts, Carts, Trimmers, Pruners, Hoses

FLOOR CARE EQUIPMENT

- 1 - ADVANCE MODEL 459005 LPG SIT-DOWN RIDER TYPE POWER FLOOR SCRUBBER, S/N 0600074 (3,900 Hours)
- 1 - CLARKE VISION 26 WALK BEHIND BATTERY POWERED FLOOR SCRUBBER, S/N V11330, With Tennant Trend Battery Charger
- 2 - EDCO MODEL 2GC-11H WALK BEHIND GAS POWERED FLOOR SCARIFYING MACHINES, S/N 21667, 21669, Honda GXU340 11-HP Gas Engines
- 1 - Clarke Model 505-204 LP Gas Riding Floor Scrubber, S/N 750481, (M14005A) (Located at 2066 Bristol Avenue N.W., Walker, MI)

AUTOMOTIVE HOISTS

- 1 - 4-POST DRIVE-ON RAMP TYPE FLOOR STANDING HYDRAULIC AUTOMOTIVE HOIST, Mfg'r & S/N NA
- 1 - 2-POST FLOOR STANDING HYDRAULIC AUTOMOTIVE HOIST, Mfg'r & S/N NA

STANDBY AC POWER GENERATOR

- 1 - CUMMINS MODEL GGHH - 5774586 EMERGENCY STAND-BY AC POWER GENERATOR, S/N 1060967875, (New 2006), Rated KW: 67.1 Ph / 100.3 Ph, Rated KVA : 67.0 1 Ph / 125.0 3 Ph, Power Factor 1.0 1 Ph, Stationary, Natural Gas Fired Fuel, Power Command Microprocessor Control Panel, Ford Model WSG-1068 V-10 Engine, Weather Enclosure Panels, ASCO Automatic Power Transfer Switch

LATE MODEL OFFICE EQUIPMENT


Office Furnishings Including Computer Equipment, Over 40 PCs, Laptops, Flat Screen Monitors, Conventional Monitors, Printers, Scanners, UPS's, Etc.
Copiers, Copy/Fax Machines, Shredders, Xerox 8830 Blueprint Copier, HP Design Jet 800 Plotter
Furniture Including Executive Office Suites, Conference Suites, Cubicles, General Office Furniture & Equipment

Hilco Industrial, LLC

Auctioneers • Liquidators • Appraisers

Headquarters

31555 W. Fourteen Mile Road, Suite 207
Farmington Hills, MI 48334
Ph: 248.254.9999
Fx: 248.254.9995
www.hilcoind.com



Forwarding Service Requested

HILCAST™ WEBCAST AUCTION

Complete liquidation of all remaining assets of



World Class Large Capacity Tool and Die Manufacturer



Wednesday, March 5th • Beginning at 10 am Local Time
Grand Rapids, Michigan

Terms of Sale

A buyers premium of 13.5% for onsite sales & 15% for webcast sales is in effect. Everything will be sold to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items will be sold "as is, where-is" without any warranties, express or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information herein contained. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Absolutely no items will be removed until the day after the conclusion of the sale and payment is made in full. Subject to additions, deletions and prior sale.

Payment: ALL PURCHASES MUST BE PAID IN FULL ON THE DAY OF THE AUCTION. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of total purchases is made on the day of the sale. Contact our office for wire transfer instructions. Only cash, wire transfer or certified check, payable to Hilco Industrial, LLC will be accepted. Company checks payable to Hilco Industrial LLC will be accepted only if accompanied by a bank letter of guarantee, (see sample letter below). All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions.

Sample Bank Letter

(Bank Name) unconditionally guarantees payment to Hilco Industrial, LLC from (Company Name). This guarantee will be valid for purchases made at the Auction of Synergis Technologies Group on March 5th.

